Hans-Jürgen Bolle, Matthias Eckardt, Dirk Koslowsky, Fabio Maselli, Joaquín Meliá Miralles, Massimo Menenti, Folke-Sören Olesen, Ljiljana Petkov, Ichtiaque Rasool, Adriaan Van de Griend (Eds.)

Mediterranean Landsurface Processes Assessed From Space

With 442 Figures, 320 in colour



Contents

| Chapter 1 | Introduction | 1 |
|-----------|--|----|
| 1.1 Spa | ace View and Ground Observations | 1 |
| 1.2 Me | diterranean Climatic Environment | 2 |
| 1.3 Pro | cesses at Surfaces | 10 |
| 1.3.1 | Deforestation and Land-use Changes | 10 |
| 1.3.2 | Water Related Problems | 16 |
| 1.3.3 | Fire, Grazing, and Land Degradation | 19 |
| 1.3.4 | Drought, Floods, Frost, and Desertification | 21 |
| 1.3.5 | Coupling Between Surface and Atmosphere: | |
| | The Role of the Atmospheric Boundary Layer | 25 |
| 1.4 Ro | e and Capabilities of Measurements Made From Space | 30 |
| 1.4.1 | Research Programmes | 30 |
| 1.4.2 | Expected Information | 32 |
| 1.4.3 | Research Strategy | 33 |
| 1.4.4 | Observation of Changes in Heterogeneous Landscapes: | |
| | Spatial and Temporal Scales | 35 |
| 1.4.5 | Land-surface Change Indicators Observable from Space | 36 |
| | Spectral Characteristics of Vegetation and Soils (36); | |
| | Responses of Remote Sensing Signals to Changes of | |
| | Land-surface Properties (40) | |
| 1.5 Ab | out this Book | 48 |
| Chapter 2 | Processing and Archiving of Satellite and Ancillary Data | 51 |
| 2.1 Int | roduction | 51 |
| 2.2 Th | e Remote Sensing Data Base | 55 |
| 2.2.1 | Satellite Instruments | 55 |
| | The NOAA Observing System (55); Meteosat (57); | |
| | Nimbus-7 (59); Landsat (59); SPOT (61); DMSP (62); | |
| | ERS-1 and ERS-2 (62); TRMM (63); Terra (64); Envisat (65); | |
| | Aqua (66) | |
| 2.2.2 | Aircraft Instruments | 66 |
| | The Use of Aircraft for Land-surface Process Studies (66); | |
| | AVIRIS (67); TMS (68); AIRSAR (68); DIAL (69) | |
| 2.3 Re | ception, Acquisition and Availability of Satellite Data | 70 |
| 2.3.1 | Reception of AVHRR (HRPT) Data | 70 |
| 2.3.2 | Reception of Meteosat Data | 72 |
| 2.3.3 | Acquisition of Landsat TM Data | 72 |

| 2.3.4 | Acquisition of SPOT Data | 73 |
|---------|--|-----|
| 2.3.5 | Acquisition of Nimbus SMMR and NOAA-AVHRR GAC Data | 73 |
| 2.3.6 | Acquisition of ERS 1/2 Data | 74 |
| 2.4 Ca | libration of Satellite Data | 74 |
| 2.4.1 | Calibration of the AVHRR Short Wave Channels | 74 |
| | Detection and Causes of Signal Degradation (74); Effective | |
| | Signal Degradation of the NOAA-11 AVHRR Shortwave | |
| | Channels (75); Intercalibration of NOAA-14 and NOAA-11 | |
| | Instruments (81); Comparison with Other Calibration | |
| | Studies (83); Intercalibration Between NOAA-16 and | |
| | NOAA-11 Instruments (84) | |
| 2.4.2 | Calibration of AVHRR Thermal Channels | 88 |
| 2.4.3 | Conversion of Meteosat Signals to Absolute Values | 90 |
| | Visible Channel (90); Infrared Channel (92) | |
| 2.4.4 | Conversion of Landsat Data to Absolute Values | 92 |
| 2.4.5 | | 93 |
| 2.4.6 | Calibration of Nimbus 7 SMMR Data and Orbit Stability | 95 |
| | oreferencing and Geographical Registration | 96 |
| 2.5.1 | Georeferencing of AVHRR Data | 96 |
| 2.5.2 | Map Projections and Registration Methods | 96 |
| 2.5.3 | Universal-Transversal-Mercatorprojection (UTM) | 99 |
| | oud Detection and Elimination | 100 |
| 2.6.1 | Definition of the Cloudless Atmosphere and "Cloud Screening" | 100 |
| | Previous Cloud Detection Algorithm | 100 |
| 2.6.3 | Cloud Mask Generation Used for the MEDOKADS Product: | |
| • • • • | The Dynamic Threshold Algorithm | 101 |
| 2.6.4 | Improved APOLLO Cloud Analysis | 103 |
| 2.6.5 | Reconstruction of Cloudless Time Series with the Aid of | 104 |
| | Fourier Components | 104 |
| | Time Series Analysis (104); Fourier Transform (105); | |
| | Harmonic Analysis of Numerical Time Series (HANTS) (107) | 110 |
| | cillary Data | 112 |
| 2.7.1 | Introduction Elevation of Land Surface | 112 |
| 2.7.2 | | 113 |
| 2.7.3 | State of the Atmosphere | 114 |
| | Operational Data Sources (114); Water Vapour (116); Ozone (122); Aerosol (122); Comparative Surface | |
| | Measurements (126) | |
| 2.8 Sat | tellite Data Archiving | 128 |
| 2.8 5a | Development of Physical Archives Media | 128 |
| 2.8.1 | Examples of Data Archives | 120 |
| 2.0.2 | Raw Data Archive At the Free University of Berlin (130); | 130 |
| | Preprocessed AVHRR Data Remapped to Polar Stereographic | |
| | Map Projection (130) | |
| 2.8.3 | The Mediterranean Extended Daily One-km AVHRR | |
| 2.0.5 | Data Set (MEDOKADS) of the Free University of Berlin | 131 |
| | | |

Contents

| 2.8.4 | Other Satellite Data Archives AVHRR Data (133); Archives of Meteosat Data (134); Windscatterometer Data (134); Towards a Distributed On-line Access Archive (135) | 133 |
|-----------|--|-----|
| Chapter 3 | Radiative Processes of the Surface - Atmosphere System | 137 |
| • | oduction | 137 |
| 3.2 Inte | eractions of Electromagnetic Waves with the Surface | 139 |
| 3.2.1 | Elementary Processes | 139 |
| | Plain Surfaces (139); Scattering and Reflection From Complex | |
| | Surface Structures (145); Reflectance Terminology (148) | |
| 3.2.2 | Solar Radiation | 151 |
| | Interaction With Soils (151); Interaction with Water and Wet | |
| | Surfaces (153); Interaction With Vegetation Covered | |
| | Soils (154); The Albedo Dilemma (157); Net Radiation at | |
| | Inclined Surfaces (158) | 150 |
| 3.2.3 | Thermal IR Radiation | 159 |
| 3.2.4 | Microwave Radiation Spectral Range (161); Technology (162); Dielectric | 161 |
| | Constant (163); Emission (164); Effect of Vegetation (166) | |
| | Reflection and Scattering (167) | |
| 3.3 Atr | nospheric Radiative Transfer | 168 |
| 3.3.1 | Processes | 168 |
| 3.3.2 | | 171 |
| 3.3.3 | Radiative Transfer in Absorbing and Emitting Atmospheres | 173 |
| 3.3.4 | The Overlapping Region Around 3 µm | 176 |
| | diation Codes Suited for Atmospheric Corrections | 177 |
| 3.4.1 | A Landsat-TM scheme | 177 |
| 3.4.2 | A One Parameter Meteosat and NOAA-AVHRR Scheme | 179 |
| 3.4.3 | Split-window Technique (SWT) | 180 |
| 3.4.4 | Multi-angle Methods | 182 |
| 3.4.5 | The HITRAN, MODTRAN, and LOWTRAN Family | 183 |
| 3.4.6 | The "Simulation of the Satellite Signal in the Solar | |
| | Spectrum" Algorithm | 185 |
| 3.4.7 | Autonomous Atmospheric Compensation (AAC) | 187 |
| 3.4.8 | A Four-stream Atmospheric Correction Procedure for | |
| | Broadband Albedo | 188 |
| 3.5 Fro | m Basic Theory to Application | 189 |
| Chapter 4 | Primary Level Products | 191 |
| | roduction | 191 |
| 4.2 Fro | om Radiance to Reflectance | 193 |
| 4.2.1 | Top of Atmosphere Spectral Reflectance | 193 |
| 4.2.2 | Normalization of TOA-data for Illumination and | |
| | Observation Geometry | 194 |
| | Methods (194); Results of Model Calculations (195); | |

XIII

| | Empirical Determination of the BRDF (202) | |
|-----------|--|------|
| 4.2.3 | Some Immediate Conclusions | 207 |
| 4.2.4 | From TOA to Surface Reflectance | 207 |
| 4.3 Int | ercomparison and Validation of Reflectance Measurements | 209 |
| | Techniques | 209 |
| | Test for Atmospheric Correction | 210 |
| 4.3.3 | Area Integrated Reflectances of the EFEDA Experimental | |
| | Areas Derived From Landsat-TM and AVHRR Data | 211 |
| 4.3.4 | Comparative Ground Based Measurements | 212 |
| | General Remarks (212); Albedometer Measurements (212); | |
| | Reflectance Spectra (218); Radiometric Measurements | |
| | (219); Comparison with Satellite Data (219) | |
| 4.4 Ra | diometric Temperatures | 222 |
| 4.4.1 | Infrared TOA Radiometric Temperatures | 222 |
| 4.4.2 | Radiometric Surface Temperatures | 223 |
| 4.4.3 | Sea Surface Temperatures (SST) | 224 |
| 4.4.4 | Analytic Representation of the Diurnal Temperature Cycle | 225 |
| 4.4.5 | | 228 |
| Atmos | spheric Effects on Microwave Signals | 232 |
| 4.4.7 | Validation of Radiometric Temperatures | 232 |
| | Thermal Infrared Radiometric Temperatures (232); | |
| | Microwave Brightness Temperatures (234) | |
| 4.5 Ac | tive Microwave Products | 234 |
| 4.5.1 | Primary Products | 234 |
| 4.5.2 | Validation of Active Microwave Data | 240 |
| 4.6 Ve | getation Indices | 241 |
| 4.6.1 | Spectral Shortwave Indices | 241 |
| 4.6.2 | Microwave Indices | 244 |
| | Microwave Polarization Difference Index (244); MPDI and | |
| | NDVI (245) | |
| Chapter 5 | Higher Level Variables and Their Validation | 249 |
| | roduction | 249 |
| | diative Properties of Land Surfaces I: Emissivity and | 249 |
| | ermodynamic Temperature | 251 |
| 5.2.1 | TISI Algorithm | 251 |
| | Relation Between Emissivity and NDVI | 257 |
| | Validation | .258 |
| | diative Properties of Land Surfaces II: | ,200 |
| | bad-band Hemispherical Reflectance | 265 |
| 5.3.1 | Narrow-band to Broad-band Conversion | 265 |
| 5.3.2 | Validation | 203 |
| | diation Fluxes | 276 |
| 5.4.1 | Nomenclature | 276 |
| 5.4.2 | Net Shortwave Radiation Flux Density | 276 |
| 5.4.3 | Net Longwave Radiation Flux Density | 281 |
| | · · · · · · · · · · · · · · · · · · · | |

| 5.4.4 5.4.5 | Radiant Exposure Validation | 283 285 |
|----------------|---|------------|
| 5.4.5 | Instrumentation (285); Typical Radiation Fluxes at the | 205 |
| | Surface (289); Comparison with Satellite Data (291); | |
| | Radiation Fluxes at High Spatial Resolution (295) | |
| 5.5 Sur | face Heat Fluxes | 297 |
| 5.5 30 | Theoretical Basis | 297 |
| 5.5.2 | Computation Schemes | 297 |
| 5.5.4 | DEMI-SEC (299); SEBAL (299); Hydrological Approach (305) | 299 |
| 5.5.3 | Results and Validation | 307 |
| 5.5.5 | Surface Temperatures as Wetness Indicator (307); Soil Heat | 307 |
| | - | |
| | Flux (308); Sensible and Latent Heat Fluxes (314); Diurnal | |
| | Evolution of Fluxes (320); Other SEBAL Products: | |
| 5 (II.) | Resistance to Evaporation (323) | 225 |
| • | drological Aspects I: Soil Moisture | 325 |
| 5.6.1 | Dual-Frequency Approach | 325 |
| 5 () | Algorithm (325); Validation (326) | |
| 5.6.2 | Estimating Near Surface Soil Moisture with SAR Systems | 327 |
| | Introduction (327); Method (328); SAR Estimates of Soil | |
| | Moisture Content During Efeda-spain and Hapex-sahel (331); | |
| | Conclusions (337) | |
| | drological Aspects II: Precipitation | 337 |
| | icators of Vegetation Conditions | 341 |
| 5.8.1 | Photosynthetic Active Radiation, Vegetation Indices and LAI | 341 |
| | Definitions (341); Leaf Area - Vegetation Index | |
| | Relationship (342); "Red Edge" Shift and Chlorophyll | |
| | Content (345) | |
| 5.8.2 | Field Radiometry and Data Processing | 346 |
| 5.8.3 | A Case Study on Corn and Barley | 348 |
| | Experimental Site and Ground Measurements (348); Results of | |
| | Broad Band Analysis (350); Results of the High Spectral | |
| | Resolution Analysis (353) | |
| 5.8.4 | Comments | 354 |
| 5.8.5 | Canopy Water Content Derived from Optical Data | 355 |
| | Algorithm (355); Results (358) | |
| 5.9 Cli | mate Aspects | 363 |
| Chapter 6 | From Research to Application | 369 |
| 6.1 Inti | | 369 |
| | sphere Processes: Key Variables, Models and Scales | 373 |
| 6.2.1 | Main Driving Variables of Biosphere Processes | 373 |
| 0.2.1 | Processes (373); Models (375) | 010 |
| 6.2.2 | Local Processes and Global Models: Spatial Heterogeneity | |
| 0.2.2 | and Scaling | 377 |
| 6.2.3 | From Local to Global Scales | 381 |
| | paracterization of Local Vegetation Development | 383 |
| 01 | | |

| 6.4 Change Detection Methods | 389 |
|---|------------|
| 6.4.1 Mapping and Monitoring of Land-surface Changes | 389 |
| 6.4.2 Change Detection Techniques | 390 |
| 6.5 Scales of Land-surface Variability | 393 |
| 6.5.1 Spatial Pattern | 393 |
| Mediterranean Topographic Structures (393); Vertical | |
| Structures (400) | |
| 6.5.2 Classification and Aggregation | 403 |
| 6.5.3 Temporal Scales | 405 |
| 6.6 Combination of Satellite Data of Different Provenience | 407 |
| 6.6.1 Integration of Data with Different Spatial and Temporal | |
| Features | 407 |
| 6.6.2 Merging NOAA-AVHRR and Landsat-TM Vegetation In | ndices 407 |
| 6.7 Multispectral Classification of Land-surface Types | 413 |
| 6.7.1 Methodology | 413 |
| 6.7.2 Example of a supervised classification | 413 |
| 6.7.3 Surface Discrimination by Application of the Temperatur | |
| Independent Spectral Indices (TISI) | 416 |
| Introduction (416); Methodology of Parameters Retrieval | (417); |
| Data Used (417); Conclusions (421) | |
| 6.7.4 Vegetation Canopy Characterization by Microwave | |
| Transmittance | 421 |
| 6.8 Decomposition of Pixel Contents | 423 |
| 6.8.1 Spectral Decomposition | 423 |
| Prerequisits (423); Theory (424); Example (427) | |
| 6.8.2 Fractional Vegetation Cover Determination by Unmixing | |
| Surface Temperature | 429 |
| 6.9 Seasonal and Interannual Variability as Seen in NOAA-AVH | RR |
| Images | 433 |
| 6.9.1 Thermal Infrared Data Series | 433 |
| 6.9.2 Short-wave Channels Data Series | 437 |
| The Role of Vegetation as Change Indicator (437); Basin | -wide |
| Data Representation (438); Regional Variability (444) | Ĩ. |
| 6.10 Vineyard Change Detection | 453 |
| 6.10.1 Introduction | 453 |
| 6.10.2 Methodology | 454 |
| 6.10.3 Results | 454 |
| 6.11 Estimation of Weather Impact on Vegetation Cover Along the | e . |
| Israeli Transition Zone Using AVHRR Data | 461 |
| 6.11.1 Introduction | 461 |
| 6.11.2 Study Area | 462 |
| 6.11.3 Method | 462 |
| 6.11.4 Results and Discussion | 463 |
| 6.11.5 Conclusion | 467 |
| 6.12 Monitoring of Soil Moisture Fields and Change Detection by | |
| Passive Microwave Remote Sensing | 469 |

| 6.12.1 | Introduction | 469 |
|---------|---|------|
| 6.12.2 | The Dual-Frequency Approach | 469 |
| | Available Data and Validation | 471 |
| | Degradation/Aridification Mapping over the Iberian Peninsula | 472 |
| | gration of Conventional and Remote Sensing Data to Model | |
| | nspiration of Forest Mediterranean Ecosystems | 477 |
| | Background | 477 |
| | The Model FOREST - BGC | 478 |
| | Study Area and Data | 479 |
| | Ancillary Data | 480 |
| | Topography (480); Meteorological Data (481); Surface Data: | |
| | Leaf Area Index (481); Surface Data: Transpiration (481); | |
| | Satellite Images (482) | |
| 6135 | Data Processing | 482 |
| 0.15.5 | Evaluation Strategy (482); Simulation of Meteorological Data | 102 |
| | for the Forest Test Sites (483); Derivation of LAI Profiles | |
| | From Different Sources (483); Calibration and Validation of | |
| | FOREST-BGC (484) | |
| 6136 | Results | 485 |
| 0.15.0 | Simulated Meteorological Data (485); Measured and Estimated | 105 |
| | Daily LAI profiles (486); Model Calibration (487); Model | |
| | Validation (487) | |
| 6137 | Study Area San Rossore | 489 |
| | Conclusions | 491 |
| | of GAC NDVI Data for Cropland Identification and Yield | 471 |
| | ecasting in Mediterranean African Countries | 493 |
| | Introduction | 493 |
| | Study Area | 494 |
| 0.14.2 | Environmental Features (494); Agricultural Features (495) | 777 |
| 6.14.3 | · · · + · · · · | 495 |
| 0.14.5 | Cartographic Data (495); Crop Yield Data (496); Satellite | -175 |
| | Data (496) | |
| 6 14 4 | Data Processing and Results | 497 |
| 0.14.4 | Computer Facilities (497); Pre-processing (497); Correlation | 177 |
| | Analysis with Global NDVI Data (497); Correlation Analysis | |
| | with NDVI Data of Single Land Cover Classes (498); | |
| | Correlation Analysis with NDVI Data of Selected Pixels (500); | |
| | Evaluation of Produced Maps (504); Evaluation of the | |
| | Procedure for Operational Yield Forecasting (504) | |
| 6 1 4 5 | Conclusions | 505 |
| | bught and Fire Impacts | 507 |
| | Introduction | 507 |
| | Climatological Characterization and Preliminary Analysis of | 507 |
| 0.15.2 | Burned Area in A Study Pilot Area | 508 |
| 6 15 2 | Satellite Image Processing | 510 |
| | Forest Evolution and its Relationship with Rainfall: | 510 |
| 0.13.4 | FORSE EVOLUTION and its relationship with rannall. | |

| Application to Post-fire Evolution 51 Site Selection (512); Temporal Characteristics of NDVI and its Relationship with Rainfall (513) | 12 |
|---|----|
| 1 | 17 |
| 1 • | 16 |
| | 21 |
| 6.16 Assimilation of Initial Soil Moisture Fields with Meteosat and | ~~ |
| | 23 |
| | 23 |
| 6.16.2 Assessment of the Land Surface Energy Balance Using | |
| | 25 |
| | 28 |
| Basic Assimilation Steps (528); Horizontal Averaging (529); | |
| Verification of Results (530) | _ |
| • | 30 |
| Selected Case Study (530); Verification of Sebal-results with | |
| Ground Based Flux Measurements (532); Construction of A | |
| New Soil Moisture Field (533); Results of Simulations with | |
| the New Initial Soil Moisture Field (534) | |
| 1 | 37 |
| 6.17 Methodology for Validation of Remote Sensing Data Products: | |
| | 41 |
| | 41 |
| | 42 |
| 1 | 45 |
| 6.17.4 Scientific Objectives of the Valencia Anchor Station 54 | 45 |
| Definition of A Large Scale Validation Area for Low Spatial | |
| Resolution Missions (545); Definition and Characterisation of | |
| A Large Scale Reference Pixel (546); Scaling Issues: | |
| Aggregation and Disaggregation, Time Interpolation and | |
| Spatial Averaging (547) | |
| 6.17.5 Specifications of the Valencia Anchor Station 54 | 48 |
| 6.17.6 Simulation of Top of the Atmosphere Ceres Radiances 55 | 53 |
| 6.17.7 Conclusions and Future Activities 55 | 56 |
| 6.18 Assessment of Land-surface Changes in Space and Time – | |
| General Conclusions 55 | 59 |
| | |
| Appendices 56 | 63 |
| Appendix 1 The ECHIVAL Field Experiment in Desertification | |
| | 65 |
| | 65 |
| • | 66 |
| 1 | 85 |
| | 88 |
| | 91 |
| | 95 |
| | 99 |

| Appendix 3 Soils | 603 |
|--|-----|
| A.3.1 Description of Soils | 603 |
| A.3.2 Soil Types | 603 |
| A.3.3 Soil Degradation | 608 |
| Appendix 4 Characteristics of Earth Observation Satellites and | |
| Remote Sensing Instruments | 611 |
| A. Satellites and Their Instruments | 611 |
| B. Aircraft Instruments | 628 |
| Appendix 5 Useful Formulae and Data | 631 |
| A.5.1 The Spectrum of the Solar and Terrestrial Radiation | 631 |
| A.5.2 Solar Radiation | 632 |
| A.5.3 Airmass | 636 |
| A.5.4 Optical Depth of the Atmosphere | 637 |
| A.5.5 Determination of the Optical Depth From the Ground | 638 |
| A.5.6 Relationship Between UTM and Longitude/Latitude | |
| Coordinates | 639 |
| A.5.7 Evaporation Equivalents | 641 |
| A.5.8 Relationship Between Dielectric Constant and Soil Moisture | 641 |
| Appendix 6 Spectral Measurements | 643 |
| A.6.1 Introduction | 643 |
| A.6.2 Atmospheric Infrared Spectra | 643 |
| A.6.3 Spectral Atmospheric Transmission and Optical Depth in the | |
| Wavelength Range of Solar Radiation | 648 |
| A.6.4 Angular Distribution of Spectral Longwave Infrared Surface | |
| Reflectance | 653 |
| A.6.5 Spectrometric Field Measurements of Surface Reflectance | 659 |
| A.6.6 Spectral Surface Reflection and Albedo | 669 |
| Appendix 7 Scintillometry | 681 |
| Appendix 8 AVHRR Time Series | 685 |
| A.8.1 Presentation of Large Scale Satellite Data Time Series | 685 |
| A.8.2 Temperature Time Series | 687 |
| A.8.3 AVHRR Short-wave Channel Products | 692 |
| Goal (692); Potential Error Sources (693); Mean Value and | |
| Trend Maps (699); Striking Deviations From Mean Values | |
| During the Period from 1989 to 2004 (710); Conclusions (710) | |
| - C | 715 |
| eferences | 715 |

Reference Glossary Index

745 749

XIX